517 Material Obligation Validation

Functional Group ID=MV

Introduction:

This Draft Standard for Trial Use provides the format and establishes the data contents of the Material Obligation Validation Transaction Set (517) for use within the context of an Electronic Data Interchange (EDI) environment. The material obligation validation transaction set may be used to: (1) verify the continued need for open orders, (2) confirm open order quantities and order priority, (3) request reinstatement of erroneously cancelled open orders, and (4) validate Government Furnished Material (GFM) orders. The transaction set may convey a description of the material, the urgency of need associated with the transaction and quantity of required material. This transaction set is bi-directional between trading partners.

Notes:

- 1. Supply sources use this transaction set to request the validation of Government Furnished Material (GFM) requisitions received from a commercial contractor. Management Control Activities (MCAs) use this transaction set to respond to GFM validation requests.
- 2. Use a single occurrence of this transaction set to exchange single or multiple GFM validations either between a single supply source and a single or multiple MCAs or between a single MCA and a single or multiple supply sources.
- 3. Users operating under the Defense Logistics Management System (DLMS) must reference the Unit of Issue and Purchase Unit Conversion Table and Accounting Classification Appendix which can be found on the National Institute of Standards and Technology (NIST) World Wide Web site.

Heading:

| | Pos. | Seg. | Name | Req. | Max.Use | Loop <u>Repeat</u> | Notes and Comments |
|----------|------|------|--|------|----------|-----------------------|-----------------------|
| Must Use | 010 | ST | Transaction Set Header | M | 1 | | |
| Must Use | 020 | BR | Beginning Segment for Material Management | M | 1 | | |
| Not Used | 030 | G62 | Date/Time | O | 10 | | |
| | | | LOOP ID - LM | • | <u> </u> | 10 | |
| Not Used | 040 | LM | Code Source Information | O | 1 | | |
| Not Used | 050 | LQ | Industry Code | M | 100 | | |
| | | | LOOP ID - N1 | | | >1 | |
| Must Use | 060 | N1 | Name | O | 1 | | |
| Not Used | 070 | N2 | Additional Name Information | O | 2 | | |
| Not Used | 080 | N3 | Address Information | O | 2 | | |
| Not Used | 090 | N4 | Geographic Location | O | 1 | | |
| Not Used | 100 | G61 | Contact | О | 5 | | |

003060F517G0 27 April 1998

Detail:

| | Pos. | Seg. <u>ID</u> | Name | Req. Des. | Max.Use | Loop <u>Repeat</u> | Notes and Comments |
|----------|------|-------------------|------------------------------|--------------|---------|-----------------------|--------------------|
| | | _ | LOOP ID - QTY | | | >1 | |
| Must Use | 010 | QTY | Quantity | O | 1 | | |
| Must Use | 020 | N9 | Reference Identification | O | 30 | | |
| | 030 | AT | Financial Accounting | O | >1 | | |
| Must Use | 040 | G62 | Date/Time | O | 30 | | |
| Not Used | 050 | DD | Demand Detail | O | 100 | | |
| | 060 | GF | Furnished Goods and Services | O | 1 | | |
| | | | LOOP ID - LM | | · | 10 | |
| | 070 | LM | Code Source Information | O | 1 | | |
| Must Use | 080 | LQ | Industry Code | M | 100 | | |
| | | | LOOP ID - N1 | | | >1 | |
| Must Use | 090 | N1 | Name | O | 1 | | |
| Not Used | 100 | N2 | Additional Name Information | O | 2 | | |
| Not Used | 110 | N3 | Address Information | O | 2 | | |
| Not Used | 120 | N4 | Geographic Location | O | 1 | | |
| Not Used | 130 | G61 | Contact | O | 5 | | |
| Must Use | 140 | SE | Transaction Set Trailer | M | 1 | | · |

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes: 1 The transaction set identifier (ST01) used by the translation routines of the

interchange partners to select the appropriate transaction set definition (e.g.,

810 selects the Invoice Transaction Set).

Comments:

Data Element Summary

| | Ref. | Data | | |
|-----------------|------|----------------|--|-------------------|
| | Des. | Element | <u>Name</u> | <u>Attributes</u> |
| Must Use | ST01 | 143 | Transaction Set Identifier Code | M ID 3/3 |

Code uniquely identifying a Transaction Set

517 X12.230 Material Obligation Validation

Transaction set for verifying the continued need for open orders. Can also be used to confirm open order quantities and request reinstatement of previously

cancelled open orders

Must Use ST02 329 Transaction Set Control Number M AN 4/9

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

A unique number assigned by the originator of the transaction set, or the originator's application program.

Segment: **BR** Beginning Segment for Material Management

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of a material management transaction and transmit

identifying numbers and dates

Syntax Notes: 1 If BR05 is present, then BR04 is required.

2 If either BR07 or BR08 is present, then the other is required.
3 If either BR10 or BR11 is present, then the other is required.

Semantic Notes: 1 BR03 is the date of the transaction set preparation.

2 BR09 is the time of the transaction set preparation

Comments:

Data Element Summary

| | Ref. | Data | | | |
|----------|------|----------------|--------------|---|---|
| | Des. | Element | <u>Name</u> | | Attributes |
| Must Use | BR01 | 353 | Transaction | n Set Purpose Code | M ID 2/2 |
| | | | Code identif | fying purpose of transaction set | |
| | | | 00 | Original | |
| | | | 77 | Simulation Exercise | |
| | | | | Use to identify a simulated mobilitransaction set. Activities initiating mobilization exercises must ensure coordination with all activities invariants action set recipients must use to ensure that individual transaction set recipients which the process as action documents which | g simulated re complete volved. All e extreme caution ions do not |
| | | | | process as action documents whic accountable records. | п ајјесі |

Must Use BR02 640 Transaction Type Code

M ID 2/2

Code specifying the type of transaction

GA Government Furnished Material Inquiry Advice

A response from a Material Control Activity (MCA) to a supply source validating the authority to process a requisition as Government Furnished Material

under the terms of a stipulated contract

Use to respond to a GFM validation inquiry.

GI Government Furnished Material Inquiry

A request from a supply source to a Material Control Activity (MCA) to validate that a requisition can be processed as Government Furnished Material under

the terms of a stipulated contract

Use to request the validation of GFM requisitions.

| Must Use | BR03 | 373 | Date | M | DT 6/6 | | | | |
|-----------|-------------|-----|---|--|-------------|--|--|--|--|
| | | | Date (YYMMDD) | | | | | | |
| | | | This date corresponds to the Universal Time Coordinate | (UT | C) . | | | | |
| Not Used | BR04 | 67 | Identification Code | X | AN 2/20 | | | | |
| | | | Code identifying a party or other code | | | | | | |
| Not Used | BR05 | 66 | Identification Code Qualifier | O | ID 1/2 | | | | |
| | | | Code designating the system/method of code structure used Identification Code (67) | for | | | | | |
| Not Used | BR06 | 306 | Action Code | O | ID 1/2 | | | | |
| | | | Code indicating type of action | | | | | | |
| Not Used | BR07 | 128 | Reference Identification Qualifier | X | ID 2/3 | | | | |
| | | | Code qualifying the Reference Identification | | | | | | |
| Not Used | BR08 | 127 | Reference Identification | X | AN 1/30 | | | | |
| | | | eference information as defined for a particular Transaction Set or as becified by the Reference Identification Qualifier | | | | | | |
| | BR09 | 337 | Time | O | TM 4/8 | | | | |
| | | | or HHMMSSD, or HHMMSSDD, where $H = hours$ (00-23 (00-59), $S = integer$ seconds (00-59) and $DD = decimal$ sec | Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where $H = hours\ (00-23)$, $M = minutes\ (00-59)$, $S = integer\ seconds\ (00-59)$ and $DD = decimal\ seconds$; decimal seconds are expressed as follows: $D = tenths\ (0-9)$ and $DD = hundredths$ | | | | | |
| | | | Express the originating activity's time in UTC. Express time in a four-position (HHMM) format. | | | | | | |
| Not Used | BR10 | 128 | Reference Identification Qualifier | X | ID 2/3 | | | | |
| noi Oseu | DVIA | 140 | Code qualifying the Reference Identification | Λ | 11) 4/3 | | | | |
| Not Used | BR11 | 127 | Reference Identification | X | AN 1/30 | | | | |
| THUL USEU | DK11 | 141 | Reference information as defined for a particular Transaction | | | | | | |
| | | | specified by the Reference Identification Qualifier | ,11 (50) | . OI 40 | | | | |

N₁ Name **Segment:**

Position: 060

> Loop: N1 Optional (Must Use)

Level: Heading

Usage: Optional (Must Use)

Max Use:

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: At least one of N102 or N103 is required.

> 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing

> organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Must use this 1/N1/060 loop to identify the organization originating the **Notes:**

transaction set.

| | | | Data Elem | ent Summary | | |
|----------|------|----------------|--|--|-------|----------------|
| | Ref. | Data | | | | |
| | Des. | Element | <u>Name</u> | | | <u>ributes</u> |
| Must Use | N101 | 98 | Entity Identifier (| Code | M | ID 2/2 |
| | | | Code identifying ar individual | n organizational entity, a physical location | n, or | an |
| | | | Use one of codes Z | 7.4, Z5, or ZK. | | |
| | | | Z4 | Owning Inventory Control Point | | |
| | | | | An inventory control organization resp management of a particular item | onsil | ole for |
| | | | Z5 | Management Control Activity | | |
| | | | | Department of Defense organization that oversees contractor requests for government-owned material to be supplied for use in support of government contracts | | |
| | | | ZK | Reporter | | |
| | | | | Use to identify the organization accordactions on behalf of the customer. | mpli | shing |
| Not Used | N102 | 93 | Name | | X | AN 1/35 |
| | | | Free-form name | | | |
| Must Use | N103 | 66 | Identification Cod | le Qualifier | X | ID 1/2 |
| | | | Code designating the Identification Code | ng the system/method of code structure used for | | |
| | | | 1 | D-U-N-S Number, Dun & Bradstreet | | |
| | | | 9 | D-U-N-S+4, D-U-N-S Number with Fo Suffix | our C | haracter |
| | | | 10 | Department of Defense Activity Address | s Co | de |

| (DODAAC) | |
|----------|--|
|----------|--|

M4 Department of Defense Routing Identifier Code

(RIC)

An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions

| Must Use | N104 | 67 | Identification Code | X | AN 2/20 |
|----------|------|-----------|--|---|---------|
| | | | Code identifying a party or other code | | |
| Not Used | N105 | 706 | Entity Relationship Code | 0 | ID 2/2 |
| | | | Code describing entity relationship | | |
| Must Use | N106 | 98 | Entity Identifier Code | O | ID 2/2 |

Code identifying an organizational entity, a physical location, or an individual

FR Message From

Must use with the appropriate 1/N101/060 code to indicate that the organization cited in N104 is originating the transaction set.

QTY Quantity **Segment:**

Position: 010

> Optional (Must Use) Loop: QTY

Level: Detail

Usage: Optional (Must Use)

Max Use:

Purpose: To specify quantity information

Syntax Notes: Semantic Notes:

Comments:

Notes: Must use this 2/QTY/010 loop to identify the individual GFM transactions and

associated quantities.

| | | | Data Eleme | ent Summary | | | | |
|----------|--------------------------------|------------------------|---|--|-------------------|--|--|--|
| | Ref. <u>Des.</u> | Data <u>Element</u> | <u>Name</u> | | <u>Attributes</u> | | | |
| Must Use | QTY01 | 673 | Quantity Qualifier | r | M ID 2/2 | | | |
| | | | Code specifying the | type of quantity | | | | |
| | | | 38 | Original Quantity | | | | |
| | | | | Use for validation inquiry transaction the quantity cited in the requisition. | is to identify | | | |
| | | | QA | Quantity Approved | | | | |
| | | | | Quantity allowed by the company proceed claim | essing the | | | |
| | | | | Use for validation advice transaction the quantity validated and approved f | • • | | | |
| | | | QC | Quantity Disapproved | | | | |
| | | | | Use for validation advice transaction the entire quantity cited in the GFM inquiry. | | | | |
| Must Use | QTY02 | 380 | Quantity | | M R 1/15 | | | |
| | | | Numeric value of qu | aantity | | | | |
| | | | Express the quanti | ty as a whole number with no decimal. | | | | |
| | QTY03 | C001 | Composite Unit of | Measure | 0 | | | |
| | | | To identify a compo | lentify a composite unit of measure (See Figures Appendix for | | | | |
| | | | • • | unit of issue for the material validated see the Unit of Issue and Purchase Uni codes. | | | | |
| Must Use | C00101 | 355 | Unit or Basis for M | Measurement Code | M ID 2/2 | | | |
| | | | Code specifying the in which a measurer | units in which a value is being expressement has been taken | d, or manner | | | |
| Not Used | C00102 | 1018 | Exponent | | O R 1/15 | | | |

| | | | Power to which a unit is raised | | |
|----------|--------|------|---|--------|--------|
| Not Used | C00103 | 649 | Multiplier | O | R 1/10 |
| | | | Value to be used as a multiplier to obtain a new value | | |
| Not Used | C00104 | 355 | Unit or Basis for Measurement Code | O | ID 2/2 |
| | | | Code specifying the units in which a value is being expresse in which a measurement has been taken | ed, or | manner |
| Not Used | C00105 | 1018 | Exponent | O | R 1/15 |
| | | | Power to which a unit is raised | | |
| Not Used | C00106 | 649 | Multiplier | O | R 1/10 |
| | | | Value to be used as a multiplier to obtain a new value | | |
| Not Used | C00107 | 355 | Unit or Basis for Measurement Code | O | ID 2/2 |
| | | | Code specifying the units in which a value is being expresse in which a measurement has been taken | ed, or | manner |
| Not Used | C00108 | 1018 | Exponent | O | R 1/15 |
| | | | Power to which a unit is raised | | |
| Not Used | C00109 | 649 | Multiplier | O | R 1/10 |
| | | | Value to be used as a multiplier to obtain a new value | | |
| Not Used | C00110 | 355 | Unit or Basis for Measurement Code | O | ID 2/2 |
| | | | Code specifying the units in which a value is being expresse in which a measurement has been taken | ed, or | manner |
| Not Used | C00111 | 1018 | Exponent | O | R 1/15 |
| | | | Power to which a unit is raised | | |
| Not Used | C00112 | 649 | Multiplier | O | R 1/10 |
| | | | Value to be used as a multiplier to obtain a new value | | |
| Not Used | C00113 | 355 | Unit or Basis for Measurement Code | O | ID 2/2 |
| | | | Code specifying the units in which a value is being expresse in which a measurement has been taken | ed, or | manner |
| Not Used | C00114 | 1018 | Exponent | O | R 1/15 |
| | | | Power to which a unit is raised | | |
| Not Used | C00115 | 649 | Multiplier | O | R 1/10 |
| | | | Value to be used as a multiplier to obtain a new value | | |

Segment: N9 Reference Identification

Position: 020

Loop: QTY Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 30

Purpose: To transmit identifying information as specified by the Reference Identification

Qualifier

Syntax Notes: 1 At least one of N902 or N903 is required.

2 If N906 is present, then N905 is required.

3 If either C04003 or C04004 is present, then the other is required.
4 If either C04005 or C04006 is present, then the other is required.

1 N906 reflects the time zone which the time reflects.

2 N907 contains data relating to the value cited in N902.

Comments:

Semantic Notes:

Notes: Must use multiple repetitions to identify the material and transaction number

associated with the transaction.

Data Element Summary

| | Ref. | Data | | |
|-----------------|------|----------------|---|-------------------|
| | Des. | Element | <u>Name</u> | <u>Attributes</u> |
| Must Use | N901 | 128 | Reference Identification Qualifier | M ID 2/3 |

Code qualifying the Reference Identification

Use one of codes 11, EQ, FQ, MF, NS, S6, WL, or XD to identify the material associated with the transaction. Must use the National Stock Number (NSN) when known.

1I Department of Defense Identification Code (DoDIC)

Qualifies a code that uniquely identifies a type of

explosive or ammunition

Use to identify ammunition items.

EQ Equipment Number

Use to identify plant equipment.

FQ Form Number

Use to identify the form stock number.

MF Manufacturers Part Number

Use to identify nonstandard material.

NS National Stock Number

Must use the NSN when known.

S6 Stock Number

Use to identify the publication stock number.

TN Transaction Reference Number

Must use to identify the transaction number for

each transaction.

| | | | WL | Federal Supply Classification Code | | | | |
|----------|--------|------|--|--|--------------|----------------------|--|--|
| | | | Use to identify the FSC for nonsta when a part number is not availa can only be ordered by description lumber products. | | | able and material | | |
| | | | XD | Subsistence Identification Number | | | | |
| | | | | Item identifier is a brand-name resale stitem | ıbsis | stence | | |
| | | | | Use to identify subsistence items. | | | | |
| Must Use | N902 | 127 | Reference Identif | fication | X | AN 1/30 | | |
| | | | | tion as defined for a particular Transaction eference Identification Qualifier | ı Set | or as | | |
| Not Used | N903 | 369 | Free-form Descri | iption | \mathbf{X} | AN 1/45 | | |
| | | | Free-form descript | tive text | | | | |
| Not Used | N904 | 373 | Date | | O | DT 6/6 | | |
| | | | Date (YYMMDD) |) | | | | |
| Not Used | N905 | 337 | Time | | \mathbf{X} | TM 4/8 | | |
| | | | or HHMMSSD, or $(00-59)$, $S = integer$ | 24-hour clock time as follows: HHMM, or HHMMSSDD, where H = hours (00-23) er seconds (00-59) and DD = decimal seconds as follows: D = tenths (0-9) and DD = | , M : | = minutes decimal | | |
| Not Used | N906 | 623 | Time Code | | O | ID 2/2 | | |
| | | | Organization standination in hours | he time. In accordance with International S dard 8601, time can be specified by a + or s in relation to Universal Time Coordinate ted character, + and - are substituted by P | - and (UT | d an C) time; | | |
| | N907 | C040 | Reference Identif | fier | o | | | |
| | | | To identify one or specified by the Ro | more reference numbers or identification neference Qualifier | umb | pers as | | |
| Must Use | C04001 | 128 | Reference Identif | fication Qualifier | M | ID 2/3 | | |
| | | | Code qualifying th | ne Reference Identification | | | | |
| | | | PG | Product Group | | | | |
| | | | | Use with N901 code WL to identify th name or description. | e mo | aterial | | |
| | | | W7 | Commercial and Government Entity (Ca | 4GE | E) Code | | |
| | | | | Code that identifies a commercial contrauthorized to do business with the U.S. | | | | |
| | | | | Use with N901 code MF to uniquely i | den | tify a | | |
| | | | | manufacturer's part number. | | | | |
| | | | W8 | Suffix | | | | |
| | | | | Differentiates between partial actions ta original transaction | ken | on the | | |

Use with N901 code TN to identify the transaction number suffix.

| | | | 30 | | |
|----------|--------|-----|---|--------------|---------|
| Must Use | C04002 | 127 | Reference Identification | \mathbf{M} | AN 1/30 |
| | | | Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier | on Se | t or as |
| Not Used | C04003 | 128 | Reference Identification Qualifier | X | ID 2/3 |
| | | | Code qualifying the Reference Identification | | |
| Not Used | C04004 | 127 | Reference Identification | X | AN 1/30 |
| | | | Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier | on Se | t or as |
| Not Used | C04005 | 128 | Reference Identification Qualifier | X | ID 2/3 |
| | | | Code qualifying the Reference Identification | | |
| Not Used | C04006 | 127 | Reference Identification | X | AN 1/30 |
| | | | Reference information as defined for a particular Transaction specified by the Reference Identification Qualifier | on Set | t or as |

Segment: AT Financial Accounting

Position: 030

Loop: QTY Optional (Must Use)

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To transmit financial accounting data

Syntax Notes: 1 If AT10 is present, then AT01 is required.

Semantic Notes:

Comments: 1 AT09 identifies unique local activity financial accounting information.

Notes: 1. Use multiple repetitions to identify the fund purpose code, appropriations,

and/or fund codes for goods, services, and related adjustments.

2. DLMS users see the Accounting Classification Data Appendix for specific data entries for AT02, AT07 and AT09.

| | | | Data Biement Sammary | | |
|----------|-------------|----------------|--|--------------|----------------|
| | Ref. | Data | | | |
| | Des. | Element | <u>Name</u> | Att | <u>ributes</u> |
| Must Use | AT01 | 1271 | Industry Code | \mathbf{X} | AN 1/30 |
| | | | Code indicating a code from a specific industry code list | | |
| | | | Use any code except "CR' or "DR". | | |
| | AT02 | 1282 | Treasury Symbol Number | O | AN 7/21 |
| | | | Number identifying a department, fiscal year, treasury accourand appropriation limit for a standard accounting classificat structure | | |
| | | | Use to identify the basic appropriation number. | | |
| | AT03 | 1283 | Budget Activity Number | O | AN 1/16 |
| | | | Number identifying an administrative subdivision of funds a transaction is to be charged for a standard accounting classic coding structure | _ | |
| | | | Use to identify the fund code. | | |
| Not Used | AT04 | 1284 | Object Class Number | 0 | AN 3/12 |
| | | | Number identifying the nature of the goods or services acquispecific office or organization using resources for a standard classification coding structure | | |
| Not Used | AT05 | 1285 | Reimbursable Source Number | O | AN 1/3 |
| | | | Number identifying the source of an appropriation or fund refor a standard accounting classification coding structure | eimbu | ursement |
| Not Used | AT06 | 1286 | Transaction Reference Number | 0 | AN 4/20 |
| | | | Number identifying an original request for goods and service matching financial transaction for a standard accounting class coding structure | | |
| | AT07 | 1287 | Accountable Station Number | O | AN 3/8 |

Number identifying an office responsible for entering a financial transaction into the applicable accounting system for a standard accounting classification coding structure

Use AT07 to identify the Authorized Accounting Activity (AAA)/ Accounting Disbursing Station Number (ADSN)/Fiscal Station Number (FSN).

Not Used AT08 1288 Paying Station Number

O AN 8/14

Number identifying an office responsible for making a payment or collection and the corresponding voucher number under which the action was taken for a standard accounting classification coding structure

AT09 352 Description

O AN 1/80

A free-form description to clarify the related data elements and their content

Cite the supplemental accounting classification data.

Must Use AT10 1270 Code List Qualifier Code

O ID 1/3

Code identifying a specific industry code list

FP Fund Purpose

Segment: G62 Date/Time

Position: 040

Loop: QTY Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 30

Purpose: To specify pertinent dates and times

Syntax Notes: 1 At least one of G6201 or G6203 is required.

2 If either G6201 or G6202 is present, then the other is required.
3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:

Comments:

Notes: Must use this 2/G62/040 segment to identify dates associated with the inquiry and

reply.

| | | | D / FI | . 0 | | |
|----------|-------|---------|---|---|----------------|----------------------|
| | Ref. | Data | Data Elemo | ent Summary | | |
| | Des. | Element | Name | | Att | <u>ributes</u> |
| Must Use | G6201 | 432 | Date Qualifier | | | ID 2/2 |
| | | | Code specifying typ | be of date | | |
| | | | 64 | Must Respond By | | |
| | | | | Use to indicate the response due date. | | |
| | | | BB | Transaction Control Date | | |
| | | | | The date when a transaction was prepar | ed | |
| | | | | Use to indicate the GFM validation re | eque | st date. |
| | | | BE | Validated | | |
| | | | | The date when material obligations were | e ver | rified |
| | | | | Use to indicate the GFM response val | lidati | ion date. |
| Must Use | G6202 | 373 | Date | | X | DT 6/6 |
| | | | Date (YYMMDD) | | | |
| Not Used | G6203 | 176 | Time Qualifier | | X | ID 1/2 |
| | | | Code specifying the | e reported time | | |
| Not Used | G6204 | 337 | Time | | X | TM 4/8 |
| | | | or HHMMSSD, or (00-59), S = integer | 24-hour clock time as follows: HHMM, of HHMMSSDD, where H = hours (00-23) ar seconds (00-59) and DD = decimal seconds | , M = onds; | = minutes decimal |
| | | | seconds are express (00-99) | eed as follows: D = tenths (0-9) and DD = | : hun | dredths |
| Not Used | G6205 | 623 | Time Code | | 0 | ID 2/2 |
| | | | Organization standa indication in hours | e time. In accordance with International Sard 8601, time can be specified by a + or in relation to Universal Time Coordinate ed character, + and - are substituted by P | - and (UT | d an C) time; |

G6206 624 Century

O N0 2/2

The first two characters in the designation of the year (CCYY)

Segment: **GF** Furnished Goods and Services

Position: 060

Loop: QTY Optional (Must Use)

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To specify information related to furnished material, equipment, property,

information, and services

Syntax Notes: 1 If either GF01 or GF02 is present, then the other is required.

2 If either GF05 or GF06 is present, then the other is required.

3 If either GF08 or GF09 is present, then the other is required.

Semantic Notes: Comments:

Dof

Data

1 GF04 is the value of government-furnished property.

Notes: 1. Use in validation inquiry transactions only.

2. Use either the Manufacturing Directive Number (MDN) or contract number (but not both) to identify the procurement source from which the commercial contractor is authorized to requisition material from DoD inventories.

| | Ref. | Data | | | | |
|----------|-------------|----------------|--|--|-------|----------------|
| | Des. | Element | <u>Name</u> | | Att | <u>ributes</u> |
| | GF01 | 128 | Reference Ide | ntification Qualifier | X | ID 2/3 |
| | | | Code qualifying | g the Reference Identification | | |
| | | | W3 | Manufacturing Directive Number | | |
| | | | | Identifies the Management Control Act contract associated with government fu material transactions | • | |
| | GF02 | 127 | Reference Ide | ntification | X | AN 1/30 |
| | | | | mation as defined for a particular Transaction Reference Identification Qualifier | n Set | or as |
| | GF03 | 367 | Contract Num | ber | 0 | AN 1/30 |
| | | | Contract number | er | | |
| Not Used | GF04 | 782 | Monetary Am | ount | 0 | R 1/15 |
| | | | Monetary amou | ınt | | |
| Not Used | GF05 | 128 | Reference Ide | ntification Qualifier | X | ID 2/3 |
| | | | Code qualifying | g the Reference Identification | | |
| Not Used | GF06 | 127 | Reference Ide | ntification | X | AN 1/30 |
| | | | | mation as defined for a particular Transaction Reference Identification Qualifier | n Set | or as |
| | GF07 | 328 | Release Numb | er | 0 | AN 1/30 |
| | | | Number identifying a release against a Purchase Order previously by the parties involved in the transaction | | | |
| | | | Use to identify the call or order number, or the call or order number | | | |

| | | | including the respective call or order modification num GF03. | nber wi | hen using | |
|----------|------|-----|--|---------|-----------|--|
| Not Used | GF08 | 128 | Reference Identification Qualifier | X | ID 2/3 | |
| | | | Code qualifying the Reference Identification | | | |
| Not Used | GF09 | 127 | Reference Identification | X | AN 1/30 | |
| | | | Reference information as defined for a particular Transaction Set of specified by the Reference Identification Qualifier | | | |

Segment: LM Code Source Information

Position: 070

Loop: LM Optional

Level: Detail Usage: Optional

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Comments: 1 LM02 identifies the applicable industry code list source information.

Notes: Must use the 2/LM/070 loop to identify coded information maintained in

department or agency documentation.

| Must Use | Ref. <u>Des.</u> LM01 | Data <u>Element</u> 559 | Name Agency Qu | alifier Code | Att M | ributes ID 2/2 |
|----------|-----------------------------|-------------------------|--------------------------|--|----------|-------------------|
| | | | Code identif | Ying the agency assigning the code values Department of Defense (DoD) | | |
| Not Used | LM02 | 822 | Source Sub | qualifier | 0 | AN 1/15 |
| | | | A reference Qualifier | that indicates the table or text maintained by the | e Soui | rce |

Segment: LQ Industry Code

Position: 080

Loop: LM Optional

Level: Detail
Usage: Mandatory
Max Use: 100

Purpose: Code to transmit standard industry codesSyntax Notes: 1 If LQ01 is present, then LQ02 is required.

Semantic Notes:

Comments:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

| | | | Data E | Element Summary | |
|----------|-----------------------------|--------------------------|----------------------|--|-----------------------|
| Must Use | Ref. <u>Des.</u> LQ01 | Data <u>Element</u> 1270 | Name Code List Qu | alifier Code | Attributes O ID 1/3 |
| | | | - | ng a specific industry code list | |
| | | | | de 80 or 81 in validation advice tran lidation inquiry transactions. | nsactions. Use only |
| | | | 0 | Document Identification Code | |
| | | | | Codes that subclassify a transa | ction |
| | | | 78 | Project Code | |
| | | | | Codes that relate a transaction exercises, projects, operations, | 1 1 0 |
| | | | 79 | Priority Designator Code | |
| | | | | The priority of a transaction | |
| | | | 80 | Advice Code | |
| | | | | Instructions to transaction recip narratives cannot be transmitte | |
| | | | 81 | Status Code | |
| | | | | Informs appropriate recipients transaction or excess report | about the status of a |
| | | | A9 | Supplementary Address | |
| | | | | Identifies the originating organ logistics information | ization's unique |
| | | | AK | Distribution Code | |
| | | | | Code identifying activities elig additional status | ible to receive |
| | | | | | |

Must Use LQ02 1271 Industry Code X AN 1/30

DE DF

Code indicating a code from a specific industry code list

Media and Status Code

Signal Code

Segment: N1 Name

Position: 090

Loop: N1 Optional (Must Use)

Level: Detail

Usage: Optional (Must Use)

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Comments: 1 This segment, used alone, provides the most efficient method of providing

organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.

N105 and N106 further define the type of entity in N101.

Notes: Must use this 2/N1/090 loop to identify the organization to receive the transaction

set.

| | | | Data Elem | ent Summary | | |
|----------|------|----------------|---|--|-------|----------------|
| | Ref. | Data | | | | |
| | Des. | Element | <u>Name</u> | | Att | <u>ributes</u> |
| Must Use | N101 | 98 | Entity Identifier (| Code | M | ID 2/2 |
| | | | Code identifying an individual | n organizational entity, a physical location | ı, or | an |
| | | | Z 4 | Owning Inventory Control Point | | |
| | | | | An inventory control organization responsible management of a particular item | onsib | ole for |
| | | | Z 5 | Management Control Activity | | |
| | | | | Department of Defense organization that contractor requests for government-own to be supplied for use in support of gov contracts | ned n | naterial |
| | | | ZK | Reporter | | |
| | | | | Use to identify the organization accordactions on behalf of the customer. | nplis | shing |
| Not Used | N102 | 93 | Name | | X | AN 1/35 |
| | | | Free-form name | | | |
| Must Use | N103 | 66 | Identification Cod | le Qualifier | X | ID 1/2 |
| | | | Code designating to Identification Code | the system/method of code structure used fee (67) | or | |
| | | | 1 | D-U-N-S Number, Dun & Bradstreet | | |
| | | | 9 | D-U-N-S+4, D-U-N-S Number with Fo Suffix | ur C | haracter |
| | | | 10 | Department of Defense Activity Address (DODAAC) | s Co | de |

| | | | M4 Department of Defense Routing Identifier Code (RIC) | | | | |
|----------|------|-----|--|--|---|---------|--|
| | | | | An integral and predetermined participant in an established logistical system performing general logistic control, distribution, and storage functions | | | |
| Must Use | N104 | 67 | Identification Co | de | X | AN 2/20 | |
| | | | Code identifying a | party or other code | | | |
| Not Used | N105 | 706 | Entity Relationsh | nip Code | 0 | ID 2/2 | |
| | | | Code describing entity relationship | | | | |
| | N106 | 98 | Entity Identifier | Code | O | ID 2/2 | |
| | | | Code identifying an organizational entity, a physical location, or an individual | | | an | |
| | | | TO | Message To | | | |
| | | | | Must use with the appropriate 2/N10 indicate the organization cited in N1 | | | |

the transaction.

Segment: \mathbf{SE} Transaction Set Trailer

Position: 140

Loop:

Level: Detail
Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

Comments: 1 SE is the last segment of each transaction set.

| Must Use | Ref. <u>Des.</u> SE01 | Data Element 96 | Number of Included Segments | M | <u>ributes</u> N0 1/10 | |
|----------|-----------------------------|-----------------------|---|------|---------------------------|--|
| | | | Total number of segments included in a transaction set inclu- SE segments | ding | ST and | |
| Must Use | SE02 | 329 | Transaction Set Control Number | M | AN 4/9 | |
| | | | Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set | | | |
| | | | Cite the same number as the one cited in ST02. | | | |